SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

RIGEL-G

Revision 21 Revision date 01-12-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	RIGEL-G	
Product code	qafs559	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;

[SU21] Consumer uses: Private households (= general public = consumers);

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU1] Agriculture, forestry, fishery;

Description No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company Orion Future Technology Ltd

Address Henwood House, Henwood. Ashford, Kent, TN24 8DH

Web www.orionft.com
Telephone 0800 002 5980
Email gidon@orionft.com
gidon@orionft.com
competent person

1.4. Emergency telephone number

Emergency telephone number	0800 002 5980
	Oam Enm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	Xn; R22 Xi; R41 R10
1999/45/EC	Symbols: Xn: Harmful.
NA. 1. 1	E1 11 11 (11)

Main hazards Flammable. Harmful if swallowed. Risk of serious damage to eyes.

2.1.2. Classification - EC Flam. Liq. 3: H226; Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 4: H332;

2.2. Label elements

1272/2008

Z.Z. Labor Gloriforia







Signal Word

Hazard Statement Flam

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Acute Tox. 4: H302 - Harmful if swallowed.

Revision 21 Revision date 01-12-2022

2.2. Label elements

Z.Z. Label elements	
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 4: H332 - Harmful if inhaled.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P233 - Keep container tightly closed.
	P240 - Ground/bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting// equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands and other contacted skin thoroughly after handling.
	P270 - Do no eat, drink or smoke when using this product.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P321 - Specific treatment (see % on this label).
	P330 - Rinse mouth.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.
Disposal	
2.3. Other hazards	

Other barries	DRT not identified as a DRT substance
Other hazards	I PBT not identified as a PBT substance.
- III-II III-III II-II	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Polyether modified polysiloxane		134180-76-0			1 - 10%	5 Xn; R20/21 Xi; R38-41 N; R51/53	
Salicylaldehyde		90-02-8	201-961-0	01-2119931635-36	40 - 50%	5 Xn; R22	
Alkyloxypolyethyleneoxyethanol		68131-40-8			30 - 40%	5 Xn; R22 Xi; R41	

Revision 21 Revision date 01-12-2022

3.2. Mixtures

-	40.	7212	ഹഹ
т.	12	, ,,,	מנונו

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
tetraethyl silicate (Tetraethylacetate)	014-005-00-0	78-10-4	201-083-8	01-2119496195-28	10 - 20%	Flam. Liq. 3: H226; Eye Irrit. 2: H319; Acute Tox. 4: H332; STOT SE 3: H335;	
Polyether modified polysiloxane		134180-76-0			1 - 10%	Acute Tox. 4: H312+H332; Eye Irrit. 2: H319; Aquatic Chronic 2: H411:	
Arnica Extract H.G.		8001-21-6	232-273-9		0 - 0.5%	,	
Salicylaldehyde		90-02-8	201-961-0	01-2119931635-36	40 - 50%	Acute Tox. 4: H302;	
Alkyloxypolyethyleneoxyethanol		68131-40-8			30 - 40%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Acute Tox. 4: H332;	

C	information
Furmer	information

Product Shelf Life Recommended shelf life 3 years from date of delivery.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
	cause initation to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.	
General information		

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.

Revision 21
Revision date 01-12-2022

- a : c a	
Further information	<u> </u>
	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protect	ctive equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	-
7.1.1 Todadaono for dalo fiditalia	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
7.2. Conditions for safe storage,	
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	No data is available on this product.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contro	ols/personal protection
8.1. Control parameters	
o. r. Control parameters	Occupational evaceure controls
0.0 5	Occupational exposure controls.
8.2. Exposure controls	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.



SECTION 9: Physical and chemical properties

Revision 21 Revision date 01-12-2022

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Amber
Odour	Characteristic
Odour threshold	No data available
pH	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	44.5 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.07 - 1.078 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

SECTION 10: Stability and reactivity

1	0.	1		Read	tivity
---	----	---	--	------	--------

	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.

Oxidising agents. Combustible materials.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Not anticipated under normal conditions of use. May cause irritation to skin.	
Serious eye damage/irritation	Not anticipated under normal conditions of use. Causes serious eye damage.	

Revision 21 Revision date 01-12-2022

al effects
Not anticipated under normal conditions of use. May cause irritation to respiratory system.
Prolonged contact may cause defatting of the skin.
No data available.
No data available.
n
No data available
ormation
No data available
pility
Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
No data is available on this product.
RIGEL-G No data available
No data is available on this product.
assessment
No data is available on this product.
-
No data available.
siderations
Dispose of waste and residues in accordance with local authority requirements.
•
Dispose of in compliance with all local and national requirements.
Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
prmation



Revision 21
Revision date 01-12-2022

14.1. UN number		Revision date 01-12-2022	
TLAMMABLE LIQUID, N.O.S. (contains Tetraethyl silicate solution)	14.1. UN number		
FLAMMABLE LIQUID, N.O.S. (contains Tetraethyl silicate solution) 14.3. Transport hazard class(es) ADR/RID		UN1993	
14.3. Transport hazard class(es)	14.2. UN proper shipping name		
ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk I		FLAMMABLE LIQUID, N.O.S. (contains Tetraethyl silicate solution)	
Subsidiary risk -	14.3. Transport hazard class(es)	
IMDG 3 5 5 5 5 5 5 5 5 5	ADR/RID	3	
Subsidiary risk IATA Subsidiary risk - 14.4. Packing group Packing group III 14.5. Environmental hazards Environmental hazards Marine pollutant No ADR/RID Hazard ID Tunnel Category IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Subsidiary risk	-	
IATA 3 Subsidiary risk - 14.4. Packing group Packing group III 14.5. Environmental hazards Environmental hazards No Marine pollutant No ADR/RID Hazard ID 30 Tunnel Category (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	IMDG	3	
Subsidiary risk - 14.4. Packing group 14.5. Environmental hazards No Marine pollutant No ADR/RID Hazard ID 30 (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366		-	
14.4. Packing group Packing group 1II 14.5. Environmental hazards Environmental hazards Mo Marine pollutant No ADR/RID Hazard ID Tunnel Category IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366		3	
Packing group III 14.5. Environmental hazards Environmental hazards No Marine pollutant No ADR/RID Hazard ID 30 Tunnel Category (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Subsidiary risk	-	
14.5. Environmental hazards Environmental hazards Marine pollutant No ADR/RID Hazard ID Tunnel Category (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	14.4. Packing group		
Environmental hazards No Marine pollutant No ADR/RID Hazard ID 30 Tunnel Category (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Packing group		
Marine pollutant No ADR/RID Hazard ID 30 Tunnel Category (D/E) IMDG F-E S-E IATA Packing Instruction (Cargo) 366	14.5. Environmental hazards		
ADR/RID Hazard ID	Environmental hazards	No	
Hazard ID 30 (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Marine pollutant	No	
Tunnel Category (D/E) IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	ADR/RID		
IMDG EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Hazard ID	30	
EmS Code F-E S-E IATA Packing Instruction (Cargo) 366	Tunnel Category	(D/E)	
IATA Packing Instruction (Cargo) 366	IMDG		
Packing Instruction (Cargo) 366	EmS Code	F-E S-E	
	IATA		
Maximum quantity 220 L	Packing Instruction (Cargo)	366	
	Maximum quantity	220 L	
Packing Instruction 355		355	
(Passenger)			
Maximum quantity 60 L	Maximum quantity	60 L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regu	lations
------	---------

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision 21
Revision date 01-12-2022

Other information		
Revision	This document differs from the previous version in the following areas:. 3 - Product Shelf Life.	
Text of risk phrases in Section	R20/21 - Harmful by inhalation and in contact with skin.	
3	R22 - Harmful if swallowed.	
	R38 - Irritating to skin.	
	R41 - Risk of serious damage to eyes.	
	R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic	
	environment.	
Text of Hazard Statements in	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Acute Tox. 4: H332 - Harmful if inhaled.	
	STOT SE 3: H335 - May cause respiratory irritation.	
	Acute Tox. 4: H312+H332 - Harmful in contact with skin or if inhaled	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
	Acute Tox. 4: H302 - Harmful if swallowed.	
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled	
	Skin Irrit. 2: H315 - Causes skin irritation.	
	Eye Dam. 1: H318 - Causes serious eye damage.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	