

SAFETY DATA SHEET NUTRIGROW FWMK 5KG

SECTION 1: Identification of f	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	NUTRIGROW FWMK 5KG
Product number	10231
REACH registration notes	This Mixture is exempt from REACH registration according to Regulation (EC) No. 1907/2006 (REACH) All raw materials used in the mixture are REACH registered where necessary.
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Supplies for professional and amateur use as a herbicide weed killer and moss killer
1.3. Details of the supplier of	the safety data sheet
Supplier	PB Kent Alexandra Road South, Immingham Dock Immingham DN40 2QW +44 (0) 1469 563980 +44 (0) 1469 571444 sales@pbkent.co.uk
1.4. Emergency telephone nu	mber
Emergency telephone	+44 (0) 1469 563980 Mon - Fri 8am - 5pm
Emergency telephone SECTION 2: Hazards identified	
	cation
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture
SECTION 2: Hazards identific 2.1. Classification of the subs	cation tance or mixture
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	tation tance or mixture Not Classified
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards	tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

 P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.
P302+P304 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

iron (II) sulfate		10-30%
CAS number: 7720-78-7	EC number: 231-753-5	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
SSP Single Superphosphate		5-109
CAS number: 8011-76-5	EC number: 232-379-5	REACH registration number: 01- 2119488967-11-0004
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xi; R41	
mecoprop (ISO)		<19
CAS number: 7085-19-0	EC number: 230-386-8	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
Aquatic Chronic 2 - H411		
2,4-D (ISO)		<19
CAS number: 94-75-7	EC number: 202-361-1	
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		

dicamba (ISO)		<1%
CAS number: 1918-00-9	EC number: 217-635-6	
Classification		
Eye Irrit. 2 - H319		
Aquatic Chronic 3 - H412		
nickel sulfate		<1%
CAS number: 7786-81-4	EC number: 232-104-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Resp. Sens. 1 - H334		
Skin Sens. 1 - H317		
Muta. 2 - H341		
Carc. 1A - H350i		
Repr. 1B - H360D		
STOT RE 1 - H372		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

in Decemption of mot an	
General information	Get medical attention if any discomfort continues.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Do not induce vomiting unless under the direction of medical personnel. Get medical attention immediately. Rinse mouth thoroughly with water. Give plenty of water to drink.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Wash contaminated clothing before reuse. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if symptoms are severe or persist after washing.

4.2. Most important symptoms and effects, both acute and delayed

4.2. MOSt Important Symptoms	s and enects, both acute and delayed
Inhalation	Dust in high concentrations may irritate the respiratory system.
Ingestion	The product is considered to be a low hazard under normal conditions of use.
Skin contact	Skin irritation should not occur when used as recommended. The product is considered to be a low hazard under normal conditions of use.
Eye contact	Causes serious eye irritation. Prolonged or repeated exposure may cause severe irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Not applicable.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Control run-off water by containing and keeping it out of sewers and watercourses. Contain and collect extinguishing water. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self- contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Harmful to aquatic life with long lasting effects. The product is slowly degradable. The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment. Avoid discharge into drains and the aquatic environment. Use appropriate containment to avoid environmental contamination. Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for	containment and cleaning up

Methods for cleaning up	Take care as floors and other surfaces may become slippery. Avoid generation and spreading of dust. Collect spillage with a shovel and broom, or similar and reuse, if possible. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Dispose of contents/container in accordance with national regulations. Do not empty into drains. Collect and dispose of spillage as indicated in Section 13.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	orage
7.1. Precautions for safe hand	lling
Usage precautions	Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Avoid inhalation of dust and contact with skin and eyes.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Store in a dry place. Keep cool. Keep only in the original container. Keep container in a well- ventilated place. Keep out of the reach of children. Keep away from combustible materials. Keep away from heat. Store away from incompatible materials (see Section 10).
7.3. Specific end use(s)	
Specific end use(s)	The substance has not been assessed for the specific end-points listed in 1.2, so it's hazardous property in this regard is not known
SECTION 8: Exposure contro	Is/Personal protection
SECTION 8: Exposure contro 8.1. Control parameters	Is/Personal protection
	is/Personal protection
8.1. Control parameters Occupational exposure limits Sand	Is/Personal protection our TWA): Silica Dust (respirable) WEL 0.1Mg/m3
8.1. Control parameters Occupational exposure limits Sand	
8.1. Control parameters Occupational exposure limits Sand Long-term exposure limit (8-h	our TWA): Silica Dust (respirable) WEL 0.1Mg/m3 our TWA): WEL 1 mg/m³
8.1. Control parameters Occupational exposure limits Sand Long-term exposure limit (8-h iron (II) sulfate Long-term exposure limit (8-h	our TWA): Silica Dust (respirable) WEL 0.1Mg/m3 our TWA): WEL 1 mg/m³
8.1. Control parameters Occupational exposure limits Sand Long-term exposure limit (8-h iron (II) sulfate Long-term exposure limit (8-h	our TWA): Silica Dust (respirable) WEL 0.1Mg/m3 our TWA): WEL 1 mg/m³ _imit.
8.1. Control parameters Occupational exposure limits Sand Long-term exposure limit (8-h iron (II) sulfate Long-term exposure limit (8-h WEL = Workplace Exposure I	our TWA): Silica Dust (respirable) WEL 0.1Mg/m3 our TWA): WEL 1 mg/m³ _imit. Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day

 DNEL
 Workers - ; TWA 8h : 10 mg/m³

 Workers - ; Short term : 20 mg/m³

mecoprop (ISO) (CAS: 7085-19-0)

DNEL

Workers - ; TWA 8h : 10 mg/m³ Workers - ; Short term : 20 mg/m³

8.2. Exposure controls

Protective	equipment
------------	-----------

Appropriate engineering controls	All handling should only take place in well-ventilated areas.
Eye/face protection	Wear eye protection. Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations.
OFOTION & Divisional and al	homical proportion

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Granules.
Colour	Beige. to Dark brown. or Black.
Odour	Mild.
Odour threshold	Not determined.
рН	ca.3.0 (1% Dilution in Water)
Melting point	Not relevant.
Initial boiling point and range	Not relevant.
Flash point	Not relevant.
Evaporation rate	Not relevant.
Flammability (solid, gas)	The product is not flammable.
Vapour pressure	Not relevant.
Vapour density	Not relevant.
Relative density	Not relevant.
Bulk density	Pour Density 0.9g/mL Tap Density 0.94g/mL
Solubility(ies)	Soluble in water.
Partition coefficient	Not known.
Auto-ignition temperature	Not relevant.
Decomposition Temperature	Not relevant.

Viscosity	
-	Not relevant.
Explosive properties	Not relevant.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
10.2. Chemical stability	
Stability	Stable when stored in a dry place.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid Extremes of temperature
10.5. Incompatible materials	
Materials to avoid	Water, moisture.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Possible Irritant Fumes
•	
products	formation
products SECTION 11: Toxicological in	formation
products SECTION 11: Toxicological in 11.1. Information on toxicolog	formation ical effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation
products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects	formation ical effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation
products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Acute toxicity - oral	formation ical effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation 1272/2009 Iron Sulphate: EFSA peer review endpoint (EFSA journal 2012; 10 (1): 2521) Rat LD50 1185 - 1750 mg/kg bw FeSO4 (H302) Harmful if swallowed. Dicamba EFSA peer review endpoint (EFSA Journal 2011; 9(1):1965) Rat LD50 1581 mg/kg bw (H302) Harmful if Swallowed. Mecoprop-P Supplier SDS, Rat LD50 775 mg/kg bw (H302) Harmful if swallowed. 2,4-D Acid: EFSA Journal 2014; 12(9):3812 Rat LD50 >300 & <2000 mg/kg bw. (H302) Harmful if
products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Acute toxicity - oral Notes (oral LD ₅₀)	formation ical effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation 1272/2009 Iron Sulphate: EFSA peer review endpoint (EFSA journal 2012; 10 (1): 2521) Rat LD50 1185 - 1750 mg/kg bw FeSO4 (H302) Harmful if swallowed. Dicamba EFSA peer review endpoint (EFSA Journal 2011; 9(1):1965) Rat LD50 1581 mg/kg bw (H302) Harmful if Swallowed. Mecoprop-P Supplier SDS, Rat LD50 775 mg/kg bw (H302) Harmful if swallowed. 2,4-D Acid: EFSA Journal 2014; 12(9):3812 Rat LD50 >300 & <2000 mg/kg bw. (H302) Harmful if swallowed.
products SECTION 11: Toxicological in 11.1. Information on toxicolog Toxicological effects Acute toxicity - oral Notes (oral LD ₅₀) ATE oral (mg/kg) Acute toxicity - dermal	formation ical effects This product is not classified for acute toxicity based on the individual toxicity values of the component included within the product and calculation methods given in Regulation 1272/2009 Iron Sulphate: EFSA peer review endpoint (EFSA journal 2012; 10 (1): 2521) Rat LD50 1185 - 1750 mg/kg bw FeSO4 (H302) Harmful if swallowed. Dicamba EFSA peer review endpoint (EFSA Journal 2011; 9(1):1965) Rat LD50 1581 mg/kg bw (H302) Harmful if Swallowed. Mecoprop-P Supplier SDS, Rat LD50 775 mg/kg bw (H302) Harmful if swallowed. 2,4-D Acid: EFSA Journal 2014; 12(9):3812 Rat LD50 >300 & <2000 mg/kg bw. (H302) Harmful if swallowed. 3,787.88

Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation. Classified as an eye irritant category 2 as confirmed via study data (OECD438).	
Respiratory sensitisation Respiratory sensitisation	No specific test data are available.	
Skin sensitisation Skin sensitisation	No classified for skin sensitisation category 1. Due to the content of 2,4D and it's classification as a skin sensitiser, EUH208 is applied.	
Germ cell mutagenicity Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.	
Carcinogenicity Carcinogenicity	No specific test data are available. There is no evidence that the product can cause cancer.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Specific target organ toxicity - STOT - single exposure	single exposure Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - STOT - repeated exposure	repeated exposure Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.	
Skin contact	May cause an allergic skin reaction.	
Eye contact	Causes serious eye irritation.	
SECTION 12: Ecological inform	mation	
Ecotoxicity	Harmful to aquatic life with long lasting effects. Classified as Harmful to aquatic life with lasting effects as part of the products evaluation under regulation 1107/2009	
12.1. Toxicity		
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is slowly degradable.	
12.3. Bioaccumulative potential		
Partition coefficient	Not known.	
12.4. Mobility in soil		
Mobility	No data available.	
Mobility 12.5. Results of PBT and vPvI		
-		
12.5. Results of PBT and vPv Results of PBT and vPvB	B assessment	
12.5. Results of PBT and vPvI Results of PBT and vPvB assessment	B assessment	

13.1. Waste treatment methods

General information	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Only store in correctly labelled containers. Dispose of contents/container in accordance with national regulations. Do not empty into drains.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Applicable for Maritime bulk transport only. Check with carrier. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 EU legislation
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. GHS: Globally Harmonized System. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. LD₉₆: Lethal Concentration to 50 % of a test population. LD₉₇: Lethal Dose to 50% of a test population. IDBC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. SVHC: Substances of Very High Concern. VPVB: Very Persistent and Very Bioaccumulative. cATPE: Converted Acute Toxicity Point Estimate. LOAEC: Lowest Observed Adverse Effect Concentration. LOAEC: Lowest Observed Adverse Effect Level. NOAEL: No Observed Adverse Effect Level. NOEC: No Observed Effect Concentration. NOAEL: No Observed Effect Concentration. LOAEC: Lowest Observed Effect Level. NOEC: No Observed Effect Concentration. NOAEL: No Observed Effect Concentration. NOAEL: No Observed Effect Level. NOEC: No Observed Effect Concentration. LOEC: Lowest Observed Effect Concentration. DOEC: No Observed Effect Concentration. DOEC: No Observed Effect Concentration. DOEC: No Observed Effect Concentration. DOEC: Lowest Observed Effect Level.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	10/02/2022
Revision	5
Supersedes date	18/07/2019
SDS number	6103
Risk phrases in full	 R22 Harmful if swallowed. R36/38 Irritating to eyes and skin. R37 Irritating to respiratory system. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard statements in full	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H341 Suspected of causing genetic defects.
	H350i May cause cancer by inhalation.
	H360D May damage the unborn child.
	H372 Causes damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
	EUH208 Contains 2,4-D (ISO), nickel sulfate. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.