A non-pesticidal, plant nutrient based liquid that improves turf health and amends the local soil surface environment in areas facing the negative consequences from excessive surface casting.

Analysis Breakdown

Specific Gravity 1.15

| Nutrient | % w/w |
|---------------------|-------|
| Total Nitrogen (N) | 5.1 |
| Ammoniacal Nitrogen | 5.1 |

| Sulphur Trioxide (SO ₃) | 14.4 |
|-------------------------------------|------|
| Sulphur (S) | 5.8 |

| Calcium Oxide (CaO) | 0.05 |
|---------------------|-------|
| Calcium (Ca) | 0.035 |

| Iron (Fe) | 0.28 |
|-----------|------|
|-----------|------|

APPLICATION RATE PER HECTARE

1st application of the season



(Sept - March) 20L/ha in 250-400L of water.

Re-apply fortnightly until problem is alleviated

10L/ha in 250-400L of water.

*Sand based rootzones may require more frequent application: suggest 10 day intervals. Allow 2-3 days from application to begin to see the benefits of reduction in surface casts.

KNAPSACK SPRAYER RATE

250-500ml per 10L of water.



PLEASE NOTE

Casting® is a cultural soil amendment and not a fertiliser.
As such it should always be used as part of a standard nutrient program. Always read and follow label instructions.

To access the Safety Data Sheet for this product, scan the QR code.





10 Litres e



Agrigem Ltd • Gem House Riverside Enterprise Park Saxilby • Lincoln • LN1 2FU

T 01522 246491 **E** sales@agrigem.co.uk