

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CA Code (Nufarm)	: 2971
Product code	: U834A
Oracle Recipe Code (Nufarm)	: 600000133
Item codes	: 110004559;110004560
Product form	: Mixture
Trade name	: Depitox 500
Type (Nufarm)	: Country Specific
Country (Nufarm)	: United Kingdom
Synonyms	: (2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT 500G/L AI

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Use of the substance/mixture	: Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Nufarm UK Ltd
Wyke Lane
Wyke
BD12 9EJ Bradford - UK
T +44 (0)1274 691234 - F +44 (0) 1274691176
msds@uk.nufarm.com

1.4. Emergency telephone number

Emergency number : +44(0)1274 691234 (24hr)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP)	: Danger
Hazardous ingredients	: 2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT
Hazard statements (CLP)	: H302 - Harmful if swallowed. H318 - Causes serious eye damage. H410 - Very toxic to aquatic life with long lasting effects.

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P270 - Do not eat, drink or smoke when using this product. P280 - Wear eye protection, face shield, protective clothing, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P330 - Rinse mouth. P391 - Collect spillage. P501 - Dispose of contents and container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.
EUH-statements	: EUH401 - To avoid risks to human health and the environment, comply with the instructions for use. EUH208 - Contains 2,4-D DMA salt. May produce an allergic reaction.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT	(CAS-No.) 2008-39-1 (EC-No.) 217-915-8	51.63	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411
EDTA substance with a Community workplace exposure limit	(CAS-No.) 60-00-4 (EC-No.) 200-449-4	0.1-0.5	Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT RE 2, H373

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: Causes mild skin irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting. Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.
Packaging materials : Keep only in the original container in a cool, well-ventilated place away from combustible materials.

7.3. Specific end use(s)

Herbicide.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

(2,4-DICHLOROPHOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)		
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ 8 H
United Kingdom	WEL STEL (mg/m ³)	20 mg/m ³ 15 min
EDTA (60-00-4)		
EU	Local name	EDTA
EU	Notes	(Year of adoption 2009)
EU	Regulatory reference	SCOEL Recommendations

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective clothing. Safety glasses.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Odour	: Amine-like.
Odour threshold	: No data available
pH	: 8.0-8.3 (100%, 20 °C ± 1 °C); 7.2-7.5 (1% w/v , 20 °C ± 1 °C)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: > 200 °C
Auto-ignition temperature	: > 600 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.166 - 1.171 (20 °C ± 1 °C)
Solubility	: Water: completely miscible
Log Pow	: -0.82 @ pH7
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 13.9 cP (20°C)
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Heat.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Depitox 500	
LD50 oral rat	1297 mg/kg
LD50 dermal rat	> 4000 mg/kg
LC50 inhalation rat (mg/l)	> 5.01 mg/l/4h

(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)	
LD50 oral rat	625 mg/kg
LD50 dermal rabbit	2115 mg/kg

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 8.0-8.3 (100%, 20 °C ± 1 °C); 7.2-7.5 (1% w/v , 20 °C ± 1 °C)
Serious eye damage/irritation	: Causes serious eye damage. pH: 8.0-8.3 (100%, 20 °C ± 1 °C); 7.2-7.5 (1% w/v , 20 °C ± 1 °C)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Depitox 500	
LC50 96h fish	> 200 mg/l <i>Oncorhynchus mykiss</i> (Rainbow trout)
EC50 48h crustacea	> 200 mg/l <i>Daphnia magna</i>
EC50 72h algae	> 100 mg/l <i>Pseudokirchneriella subcapitata</i>
ErC50 (other aquatic plants)	44 mg/l <i>Lemna Minor</i> ; 7d
NOEC (chronic)	46.2 mg/l (<i>Daphnia</i>); 21d (flowthrough); 2,4-D acid
NOEC chronic fish	63.4 mg/l (<i>Pimephales promelas</i>); 32 d ELS (flowthrough); 2,4-D acid

Additional ecotoxicological information	
14 d ErC50 = 0.715 mg/L (<i>Myriophyllum spicatum</i>)	
14 d ErC10 = 0.178 mg/L (<i>Myriophyllum spicatum</i>)	
LC50 >1000 mg/kg soil (<i>Eisenia fetida</i>)	
Oral 96 hr LD50 >100 µg prod./bee (<i>apis mellifera</i>)	
Contact 96 hr LD50 >200 µg prod./bee (<i>apis mellifera</i>)	

(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)	
Additional ecotoxicological information	
14 d NOErC (<i>Myriophyllum aquaticum</i>)	0.0305mg/L (2,4-D)
14 d ErC50 (<i>Myriophyllum aquaticum</i>)	0.346mg/L (2,4-D)

12.2. Persistence and degradability

Depitox 500	
Persistence and degradability	Readily biodegradable.
Biodegradation	DT50: 2 - 58.9 d; 2,4-D

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	DT50 (soil) 2-58.9d (2,4-D)

12.3. Bioaccumulative potential

Depitox 500	
Log Pow	-0.82 @ pH7
Bioaccumulative potential	No bioaccumulation.

(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)	
Log Pow	-0.82 (2,4-D; pH7)
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

Depitox 500	
Mobility in soil	Mobile
Koc	KFOC = 12-382 (2,4-D)

(2,4-DICHLOROPHENOXY)ACETIC ACID, DIMETHYLAMINE SALT (2008-39-1)	
Mobility in soil	Mobile

12.5. Results of PBT and vPvB assessment

Depitox 500	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. UN proper shipping name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D)	Environmentally hazardous substance, liquid, n.o.s. (2,4-D)
Transport document description (ADR)		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,4-D), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (2,4-D), 9, III
14.3. Transport hazard class(es)		
9	9	9
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		

14.6. Special precautions for user

- Overland transport


Classification code (ADR) : M6
 Special provisions (ADR) : 274, 335, 375, 601
 Limited quantities (ADR) : 5I

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

- Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

Depitox 500

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : For Transport - ADR classification is based on using own data and according to the criteria of 2.2.9.1.10.3 and 2.2.9.1.10.4 of ADR 2017.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains . May produce an allergic reaction.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

NUFARM SDS TEMPLATE

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.