

Safety Data Sheet

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 + Commission Regulation (EU) No 2015/830 of 28 May 2015

ASULOX

Preparation Date 02-Apr-2013

Revision date 05-Jul-2021

Revision Number: 5

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Identification of the product				
Product code	-			
Product Description	ASULOX			
Formulation	Asulam 400 g/L SL			
Synonyms	-			
Pure substance/preparation	Preparation			
1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against				
Recommended use	Herbicide			
Sector(s) of use	SU1 - Agriculture, forestry, fishery			
Product category	PC27 - Plant protection products			
1.3 Details of the Supplier of the Safety Data Sheet				
Supplier E-mail address	UPL Europe Ltd Engine Rooms Birchwood Park Warrington WA3 6YN Cheshire UK Tel. : +44 (0) 1925 819999 Fax : +44 (0) 1925 856075 sds.info@upl-ltd.com			
1.4 Emergency telephone number				
Emergency Telephone	(CARECHEM 24): +44 (0) 1235 239670			
United Kingdom	NHS no. 111			

Section 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization	Category 1 - (H317)
Acute aquatic toxicity	Category 1 - (H400)
Chronic Aquatic Toxicity	Category 1 - (H410)

Additional information

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Asulam sodium



signal word

WARNING

Hazard Statements

H317 - May cause an allergic skin reaction H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P273 - Avoid release to the environment

P280 - Wear protective gloves and protective clothing

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P391 - Collect spillage

P501 - Dispose of contents/ container in accordance with national regulation

EU Specific Hazard Statements

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

2.3 Other Hazards

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical name	CAS No	EC No	Index-No.	REACH No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Note:
Asulam sodium	2302-17-2	218-953-8	607-731-00-X	-	40 - 50	Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic (H410)	

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1 Description of first-aid measures

General advice

• In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

Inhalation

- Move to fresh air
- · Call a POISON CENTER or doctor if you feel unwell

Eye contact

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

· If eye irritation persists, consult a specialist

Skin contact

- Wash off immediately with plenty of water
- If symptoms persist, call a physician

Ingestion

- Rinse mouth with water
- Call a POISON CENTER or doctor if you feel unwell

Self-protection of the first aider

· First aider: Pay attention to self-protection

4.2 Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms

No information available

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians

Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media

- Carbon dioxide (CO2)
- · Dry powder
- Foam
- Water spray

Unsuitable extinguishing media

• Do not use a solid water stream as it may scatter and spread fire

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

· Burning produces obnoxious and toxic fumes

5.3 Advice for Firefighters

· Wear self-contained breathing apparatus and protective suit

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Personal Precautions
- Avoid contact with skin and eyes
- · Wear protective gloves/protective clothing and eye/face protection
- Emergency procedures
- Evacuate personnel to safe areas

Emergency responder

- · Use personal protective equipment as required
- · Evacuate personnel to safe areas

6.2 Environmental Precautions

- · Prevent further leakage or spillage if safe to do so
- · Do not allow material to contaminate ground water system
- · Do not flush into surface water or sanitary sewer system

6.3 Methods and material for containment and cleaning up

Methods for containment

· Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container

Methods for cleaning up

• Take up mechanically, placing in appropriate containers for disposal

Prevention of secondary hazards

· Clean contaminated objects and areas thoroughly observing environmental regulations

6.4 Reference to other sections

Section 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling

- Provide adequate ventilation
- · Use only outdoors or in a well-ventilated area
- Ensure that eyewash stations and safety showers are close to the workstation location

General hygiene considerations

- Do not eat, drink or smoke when using this product
- · Keep away from food, drink and animal feeding stuffs
- · Avoid contact with skin and eyes
- · Wash hands before breaks and immediately after handling the product
- · Remove contaminated clothing and protective equipment before entering eating areas

7.2 Conditions for safe storage, including any incompatibilities

- · Keep containers tightly closed in a dry, cool and well-ventilated place
- · Keep away from food, drink and animal feeding stuffs
- · Store away from frost.
- Keep away from direct sunlight

7.3 Specific end uses

- Herbicide
- Please refer to the product labeling and packaging for information about appropriate use

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Exposure Limits

· Contains no substances with occupational exposure limit values

8.2 Exposure Controls

Engineering controls

• Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

- Eye/face protection
- Safety glasses with side-shields
- Eye protection must conform to standard EN 166
- Hand protection

• Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed.

Wash hands frequently and always before eating, drinking, smoking or using the toilet.

- · Gloves must conform to standard EN 374
- · Wear protective nitrile rubber gloves
- Rate of permeability : > 480 min
- Glove thickness : > 0,4 mm
- Skin and body protection

• Wear standard coveralls and Category 3 Type 4 suit.

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

Respiratory protection

• When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General hygiene considerations

· Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

- · Local authorities should be advised if significant spillages cannot be contained
- Do not allow into any sewer, on the ground or into any body of water
- · Prevent product from entering drains

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Physical state Odor	Yellowish Liquid No information available			
Property	VALUES	Remarks/ Method		
рН	6.8	(1 % solution) CIPAC 75.2		
Melting point/freezing point	No information available			
Boiling Point/Range	No information available			
Flash Point	Not required	EC A.9		
Flammability (solid, gas)	Not required			
Relative Density	1.205	20°C, EC A.3		
Water solubility	Miscible with water			
Solubility in Other Solvents	No information available			
Partition coefficient: n-octanol/waterNo information available				
Autoignition temperature	No information available	EC A.15		
Decomposition temperature	No information available			
Viscosity	2.36 mm ² /s	40°C, Viscosity, kinematic, CIPAC MT 22		
Oxidizing properties	Non oxidizing	EC A.21		
Explosive properties	Not an explosive	EC A.14		

9.2 OTHER INFORMATION

VOC Content

Section 10: STABILITY AND REACTIVITY

10.1 Reactivity

• No information available

10.2 Chemical stability

Stable under normal conditions

10.3 Possibility of hazardous reactions

None under normal processing

10.4 Conditions to avoid

- Avoid extreme high or low temperatures.
- Exposure to light

10.5 Incompatible materials

• No materials to be especially mentioned

10.6 Hazardous decomposition products

Section 11: TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

Acute toxicity

LD50 Oral > 2000 mg/kg (rat) OECD 423 LD50 Dermal > 2000 mg/kg (rat) - OECD 402 LC50 Inhalation > 1.7 mg/l (rat) (Asulam) - US EPA 81-3

Skin corrosion/irritation

• No skin irritation, OECD 404

Serious eye damage/eye irritation

No eye irritation, OECD 405

Respiratory or skin sensitization • May cause an allergic skin reaction, OECD 406

Germ cell mutagenicity

• No information available

Carcinogenicity

• Asulam : Not classified, OECD 453

Reproductive toxicity

• Asulam : Not classified, OECD 416

Specific target organ toxicity (single exposure)

No information available

Specific target organ toxicity (repeated exposure) • No information available

Aspiration hazard

Section 12: ECOLOGICAL INFORMATION

12.1 Toxicity

EC50/72h/algae = >0.66 mg Asulam/L (Anabaena flos-aquae) - OECD 201 EC50/48h/daphnia = 57.87 mg Asulam/L (Daphnia magna) - EPA 72-2 LC50/fish/96 h = >91.3 mg Asulam/L (Lepomis macrochirus) - OECD 203 EC50/14d/aquatic plants = 0.27 mg Asulam/L (Lemna gibba) - EPA 122-2 & 123-2

12.2 Persistence and Degradability

- Soil: DT50 = 4.6 d
- 12.3 Bioaccumulative Potential
- No information available

12.4 Mobility in Soil

No information available

12.5 Results of PBT and vPvB Assessment

No information available

12.6 Other Adverse Effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Waste from residues/unused products

· Dispose of in accordance with local regulations

Contaminated packaging

· Empty containers should be taken for local recycling, recovery or waste disposal

EWC waste disposal No

• 020108 - agrochemical waste containing dangerous substances

OTHER INFORMATION

• According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

Section 14: TRANSPORT INFORMATION

14.1 UN Number

• ADR, IMDG, IATA : UN3082

14.2 UN proper shipping name

- ADR : Environmentally hazardous substance, liquid, n.o.s. (Asulam sodium)
- IMDG : Environmentally hazardous substance, liquid, n.o.s (Asulam sodium)
- IATA : Environmentally hazardous substance, liquid, n.o.s (Asulam sodium)

14.3 Transport Hazard Class(es)

- Hazard class
- ADR, IMDG, IATA: 9
- Subsidiary class
- ADR, IMDG, IATA : Not applicable

14.4 Packing Group

• ADR, IMDG, IATA : III

14.5 Environmental Hazards

- ADR, IATA : Yes
- · IMDG : Marine pollutant

14.6 Special Precautions for User

- Special Provisions
- ADR: 274, 335, 375, 601
- IMDG : 274, 335, 969
- IATA: A97, A158, A197

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Section 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Registration n°

MAPP 13175

• To avoid risks to human health and the environment, comply with the instructions for use

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals :

• Asulam sodium (CAS 2302-17-2)

15.2 Chemical safety assessment

· A chemical safety assessment has not been carried out

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Classification procedure

• On basis of test data

Abbreviations and acronyms

- CLP : Classification, Labelling and Packaging = Regulation (EC) No 1272/2008
- CAS : Chemical Abstracts Service
- EC No : EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- LDx : Lethal dose to x %
- LCx : Lethal concentration to x %
- ECx : Effective concentration to x %
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
- · Very Persistent and very Bioaccumulative (vPvB) Chemicals
- EWC : European Waste Catalogue
- ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
- IMDG : International Maritime Dangerous Goods Code
- IATA : International Air Transport Association

Preparation Date	02-Apr-2013
Revision date	05-Jul-2021
Reason for revision	Update

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 + Commission Regulation (EU) No 2015/830 of 28 May 2015

Disclaimer

The information contained is based on our knowledge of the product at the date of publishing. It applies to the PRODUCT AS SUCH. In case of formulation or mixture, make sure that a new danger will not appear. Users are advised of possible additional hazards when the product is used in applications for which it was not intended. This sheet shall only be used and duplicated for prevention and Safety purposes. For rates and use recommendations, refer to the information displayed on the packaging. It is the responsability of the handlers of the product to pass on this safety data sheet to any subsequent persons who will come into contact with the product.

End of Safety Data Sheet