

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

1.1 PRODUCT IDENTIFIER

Trade name PROTAC® SF
UFI SS00-G0X9-D00D-SXCJ

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

1.2.1. IDENTIFIED USES:

Product against crop pests by physical mode of action

1.2.2. USES ADVISED AGAINST:

No data

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

	Supplier	Producer
	Biobest Group NV	ICB Pharma Tomasz Świętosławski, Paweł Świętosławski Spółka Jawna
Street and number	Ilse Velden 18	Moździerzowców 6a
Postcode and city - country	2260 Westerlo, Belgium	43-602 Jaworzno, Poland
Phone	+ 32 14 25 79 80	+ 48 32 745 47 00
E-mail	sds@biobestgroup.com	office@icbpharma.com
		Person responsible for SDS: e-mail: grzegorz.zmijowski@icbpharma.com

1.4 EMERGENCY TELEPHONE NUMBER

112 – emergency number
+48 32 745 47 00 (at working hours: 8.00 a.m. – 4 p.m.) – manufacturer number

SECTION 2 HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: ACCORDING TO REGULATION (EC) 1272/2008:

Product is classified as hazardous:

Acute Tox. 4 H332 Harmful if inhaled
Eye Irrit. 2 H319 Causes serious eye irritation
Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects

Health hazards: harmful if inhaled, irritating in contact with eyes.

Environmental hazards: toxic to aquatic life, may cause long lasting adverse effect to aquatic environment

Physical hazards: none

Fire hazards: product does not contains any flammable substances

2.2 LABEL ELEMENTS ACCORDING TO REGULATION (EC) 1272/2008:

Pictograms:



Signal words: **WARNING**

Hazard Statement:

H319 Causes serious eye irritation

H332 Harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary statement:

P102 Keep out of reach of children.

P261 Avoid breathing mist/vapours/spray.

P273 Avoid release to the environment

P280 Wear protective gloves / eye protection

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P501 Dispose of contents/container to point authorized to receive hazardous waste

Hazardous components to be placed on the label: Polyalkyleneoxide modified heptamethyltrisiloxane

UFI: SS00-G0X9-D00D-SXCJ

2.3 OTHER HAZARDS

Product does not meet the criteria for PBT or vPvB according to Annex XIII of REACH regulation.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1 MIXTURES

PRODUCT IS A MIXTURE

PRODUCT CONTAINS POLYMERIC SILICA COMPOUND, OTHER POLYMERS, SILOXANES AND ANTI-OXIDANT.

Content of hazardous compounds (compounds below general and specific concentration thresholds, not identified as PBT/vPvB, not listed as SVHC and not having community TLVs are not mentioned):

Chemical name	CAS No/ EC No	REACH Registration No	Index No	Content	Hazard class and hazard statement
Polyalkyleneoxide modified heptamethyltrisiloxane	CAS: 67674-67-3 EC: none	Polymer	None	< 75 % w/w	Acute Tox. 4 (inhal.), H332 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Meaning of hazards classes and categories and full H phrases are given in Section 16.

SECTION 4 FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General recommendations:

Remove injured person from a polluted environment. Remove any contaminated clothing, place in a comfortable position, provide fresh air and heat. Loosen tight clothing such as a collar, tie, belt or waistband. Never give anything by mouth to an unconscious person. In the event of health problems, immediately contact doctor, show SDS or label of the product. Inform medical personnel of first aid provided.

Skin contamination: wash contaminated skin with water and soap. In case of skin irritation get medical help. Contaminated clothing has to be washed before reuse.

Eye contamination: rinse widely open eyes with clean water or dedicated fluid for 15 minutes, get medical help.

Inhalation exposure: remove the victim from exposure area, when breathing difficulties provide oxygen, get medical help if needed.

Ingestion: rinse mouth with plenty of water, get medical help immediately. Do not induce vomiting. If occurs, keep victim's head low to avoid getting the product into respiratory tract.

Protection of first aid responders

Do not take any action that would create a risk to the rescuer unless suitable trained and aware of risks.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Acute symptoms – eye irritation (lachrymation, reddening)

Delayed symptoms – no data

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Information for the physician: no known antidote, treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media for small fires use foam, snow or powder extinguisher. For large fires use foam or water mist.

Unsuitable extinguishing media strong stream of water, risk of environment contamination spread.

5.2 SPECIAL HAZARD ARISING FROM THE SUBSTANCE OR MIXTURE

During the fire of the product following compounds might be emitted – carbon oxides, silica oxides, formaldehyde, other hazardous gases. Avoid breathing of combustion products, they might be hazardous to health.

5.3 ADVICE FOR FIREFIGHTERS

Unconditionally use personal breathing apparatus and wear appropriate protective clothing during firefighting and cleaning after the fire inside closed and poorly ventilated rooms.

General advice: evacuate all unauthorized personnel not taking action during firefighting.

Additional remarks: containers and packages endangered by fire or high temperature should be cooled down by water from a safe distance (explosion risk), or relocated from area of fire if possible and safe. Fire residues and contaminated extinguishing media has to be disposed according to current regulation. Do not dispose extinguishing media to sewers.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid contact with released product. Protect eyes and skin, do not inhale vapours/mist of the product. Use recommended personal protection measures. Ventilate closed areas.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow the product to get to the sewers, ground and surface waters. Do not rinse product to the sewers. In case of water contamination - inform appropriate authorities immediately.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

In case of unsealed container or spillage secure source of contamination and move product to empty container. Spillages should be treated by appropriate sorbent (sand, sawdust, diatomaceous earth, vermiculite, universal sorbent), collected to closed container, labelled and safely disposed. Area of spillage should be cleaned. Cleaning up should be conducted under appropriate ventilation.

6.4 REFERENCE TO OTHER SECTIONS

Personal protection measures – Section 8

Waste management – Section 13

SECTION 7 HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Read label before use of the product. Avoid direct contact with mouth, skin and eyes. Do not eat or drink during product handling. Wash hands and face after usage. Product should be used only as intended.

Special precautions against fire and explosion: None.

Industrial hygiene:

- sufficient ventilation of work area is recommended (general and local exhaust ventilation)
- provide place for eye and wash cleaning in case of contamination
- wash hands by water and soap before eating, smoking and after work end.
- follow common safety precautions of chemicals handling

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep only in the original, closed containers. Avoid water and humidity during storage.

Keep the product away from children, food, beverage and animal feed. Store and transport at temperatures of 0 to 35 °C.

7.3 SPECIFIC END USE(S)

See Section 1.2.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Occupational Exposure Limit Value:

There is no exposure standard allocated to hazardous components of this product.

DNELs (Derived No Effect Levels) for mixture components:

	Workers				General population (consumers)			
Route of exposure	Acute local Effects	Acute systemic effects	Chronic local effects	Chronic systemic effects	Acute local Effects	Acute systemic effects	Chronic local effects	Chronic systemic effects
Ingestion	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
Inhalation	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.
Dermal	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.	n.d.

n. d. – no data

8.2 EXPOSURE CONTROLS

Technical control measures:

General or local mechanical ventilation of working area is sufficient.

Individual protection measures:

a) Respiratory protection: not necessary under normal conditions with sufficient ventilation, required during exposure to high concentrations of vapours. When needed use half mask with SA type filter.

b) Hand protection: use protective gloves. Wear protective gloves made of: butyl rubber, neoprene, nitrile rubber, polyvinylchloride, thickness min. 0,4 – 0,7mm. The Breakthrough Time > 480 min. Material of gloves must be resistant to the product. As the product is a mixture of several substances, the resistance of material of gloves cannot be calculated in advance and therefore has to be checked before use. From the manufacturer's advice should be obtained information about the time of the penetration of substances and such time must be respected. The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. It is recommended to change gloves and replace them immediately if you notice any signs of wear, damage (rupture, perforation) or changes in appearance (color, flexibility, shape).

c) Eye protection: recommended protective glasses

d) Skin protection: protective clothing

Protective equipment standards:

EN 140:2001 Respiratory protective devices - Half masks and quarter masks - Requirements, testing, marking

EN 143:2004 Respiratory protective devices - Particle filters - Requirements, testing, marking

EN 149+A1:2010 Respiratory protective devices - Filtering half masks to protect against particles - Requirements, testing, marking

EN 14387+A1:2010 Respiratory protective devices - Gas filter(s) and combined filter(s) - Requirements, testing, marking

EN 374-1:2005 Protective gloves against dangerous chemicals and micro-organisms -- Part 1: Terminology and performance requirements for chemical risks

EN 374-2:2005 Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration

EN 374-3:2005 Protective gloves against chemicals and micro-organisms – Part 2: Determination of resistance to permeation by chemicals

PN-EN 166:2005 Personal eye protection. Specifications

PN-EN 14605+A1:2010 Protective clothing against liquid chemicals. Performance requirements for clothing with liquid-tight (Type 3) or spray-tight (Type 4) connections, including items providing protection to parts of the body only (Types PB [3] and PB [4])

PN-EN ISO 20344:2012 Personal protective equipment -- Test methods for footwear

Professional Pest Control Product: Avoid contact with the skin, eyes and clothing. Wash hands after use. Take off immediately all contaminated clothing. Store working cloth separately.

Environmental exposure controls:

Do not allow the product to get to the soil, surface and ground water.

PNECs (Predicted No Effect Concentrations) for mixture components:

Compartment	
Fresh water	No data
Sediment – fresh water	No data
Marine water	No data
Sediment – marine water	No data
Intermittent releases (freshwater)	No data
Food chain	No data
Biological sewage treatment plant	No data
Soil (agriculture)	No data
Air	No data

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colourless liquid
Odour	faint, characteristic
Odour threshold	No data
pH	5.87 (1% water emulsion)
Melting point/Freezing point	No data
Initial boiling point and boiling range	No data
Flash point	> 100 °C
Evaporation rate	No data
Flammability	Not applicable
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	No data
Vapour density	No data
Relative density (20°C)	1.01 – 1.02
Solubility in water	insoluble, emulsifies at 0.2 %
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	No data
Decomposition temperature	No data

Viscosity	No data
Explosive properties	None, no ingredients with explosive properties
Oxidizing properties	None, no ingredients with explosive properties

9.2 OTHER INFORMATION

No data

SECTION 10 STABILITY AND REACTIVITY

Reactivity	Product is not reactive under recommended conditions of storage and handling.
Chemical stability	Product is stable under recommended conditions of storage and handling.
Possibility of hazardous reactions	No data
Conditions to avoid	High temperatures, direct sunlight, humidity.
Incompatible materials	No data
Hazardous decomposition products	Under recommended conditions of storage and handling product does not decompose with evolution of hazardous decomposition products.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Classification of the product was conducted by calculation method according to regulation 1272/2008 based on the content of hazardous ingredients:

Acute toxicity (estimated):

Acute Oral Toxicity:	based on data available classification criteria are not met, ATEmix >2000 mg/kg
Acute Dermal Toxicity:	based on data available classification criteria are not met, ATEmix >2000 mg/kg
Acute Inhalation Toxicity:	product classified as harmful if inhaled, ATEmix = 2.67 mg/L (dust and mists)

Skin corrosion/irritation	based on data available classification criteria are not met
Serious eye damage/irritation	product classified as causing serious eye irritation
Respiratory or skin sensitisation	based on data available classification criteria are not met
Germ cell mutagenicity	product does not contain any compounds with germ cell mutagenicity hazard
Carcinogenicity	product does not contain any compounds with carcinogenic hazard
Reproductive toxicity	product does not contain any compounds with reprotoxic hazard
STOT-single exposure	based on data available classification criteria are not met
STOT-repeated exposure	based on data available classification criteria are not met
Aspiration hazard	based on data available classification criteria are not met

Potential health effects:

Ingestion – may cause digestive system irritation

Inhalation – product is harmful, may cause irritation to respiratory system.

Skin – may cause irritation, sensitisation symptoms

Eyes – causing serious eye irritation

Toxicological data for product hazardous compound (Polyalkyleneoxide modified heptamethyltrisiloxane):

- Acute toxicity, oral (rat): LD50 > 2000 mg/kg
Acute toxicity, dermal (rat): LD50 > 4000 mg/kg
Acute toxicity, inhalation (rat): LC50 = 2 mg/l/4h (aerosol)
Acute toxicity, inhalation (rat): LC50 = 11.78 mg/l/4h (aerosol – 5% water emulsion)
Skin irritation (rabbit): no skin irritation
Eye irritation (rabbit): strongly irritating
Sensitization (guinea pig): not sensitizing
Repeated dose toxicity, oral (rat): NOAEL:150 mg/kg (28 days)
Germ cell mutagenicity:
- Ames-Test, result: negative (not mutagenic)
- Chromosomal aberration, result: negative
- Mammalian cytogenicity test, result: negative
- Micronucleus Test (OECD 474), result: negative

SECTION 12 ECOLOGICAL INFORMATION

12.1 TOXICITY

Classification of the product was conducted by calculation method according to regulation 1272/2008 based on the content of hazardous ingredients.

Classified as toxic to aquatic life with long lasting effects (category 2).

12.2 PERSISTENCE AND DEGRADABILITY

Product has not been tested for biodegradation, but it is not expected to be readily biodegradable based on test results from a chemically similar product. However, this product is subject to rapid hydrolysis under acidic or basic conditions.

12.3 BIOACCUMULATIVE POTENTIAL

No data

12.4 MOBILITY IN THE SOIL

No data

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

Product does not meet the criteria for PBT or vPvB.

12.6 OTHER ADVERSE EFFECT

No data

Ecotoxicological data for product hazardous compound (Polyalkyleneoxide modified heptamethyltrisiloxane):

- Acute toxicity to fish (*Danio rerio*): LC50 (96 h): 6.8 mg/L
Acute toxicity to freshwater invertebrates (*Daphnia magna*): EC50 (48 h): 25 mg/L
Acute toxicity to algae (*Pseudokirchneriella subcapitata*): EC50 (96h): 32 mg/L

SECTION 13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Wastes of the product: Unused remains: keep in original containers. Get the wastes to the establishment

authorized for transport, recovery and disposal of wastes. Do not enter product remains to the sewers, surface waters, soil. Suggested waste code: 16 03 05* organic wastes containing dangerous substances

Disposal of empty packaging: Recycling or disposal of empty packaging must be performed in compliance with current legislation (see Section 15).

Waste code: 15 01 10* packaging containing residues of or contaminated by dangerous substances.

SECTION 14 TRANSPORT INFORMATION

14.1. UN NUMBER: 3082


14.2. UN PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S
(Polyalkyleneoxide modified heptamethyltrisiloxane)

14.3. TRANSPORT HAZARD CLASS(ES): 9

14.4. PACKING GROUP: III

14.5. ENVIRONMENTAL HAZARDS: Yes

14.6. SPECIAL PRECAUTIONS FOR USER:



Road transport (ADR) Classification code: M6

Labels: 9

Hazard identification No: 90

Packing instructions: P001, IBC03, LP01, R001

Transport category (tunnel restriction code): 3 (E)

Special provision 375: These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

Air transport (IATA DGR) Class or Div.: 9

Hazard Label: Miscellaneous

Passanger and Cargo Aircraft PI: 964

Cargo Aircraft Only PI: 964

Special provision A197: These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Sea transport (IMDG) EmS codes: F-A, S-F

Marine pollutant: yes

Provision 2.10.2.7 of IMDG CODE:

“Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to any other provisions of this Code relevant to marine pollutants provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.4 to 4.1.1.8. In the case of marine pollutants also

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE:

meeting criteria for inclusion in another hazard class, all provision of this Code relevant to any additional continue to apply”

Not applicable

SECTION 15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Regulation (EC) No 1907/2006 of the European Parliament and of the Council from 18.12.2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- European agreement concerning international road transport of dangerous products (ADR)
- DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC Federal, State and Local regulations

Directive 2012/18/UE:

Named dangerous substances - ANNEX I none of the product ingredients is listed

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tons) of dangerous substances as referred to in Article 3(10) for the application of lower-tier requirements - 200 t

Qualifying quantity (tons) of dangerous substances as referred to in Article 3(10) for the application of upper-tier requirements - 500 t

15.2 CHEMICAL SAFETY ASSESSMENT :

Chemical safety assessment was not conducted for the product.

SECTION 16 OTHER INFORMATION

Source of information: Biobest Group safety data sheet was prepared according to ICB Pharma safety data sheet for the identical product SILTAC® SF edition 1.0 of 01.08.2017. ICB Pharma prepared this sds in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

The classification of mixture was made according to content of hazardous components according to the Regulation (EC) No 1272/2008.

Source of data: this SDS was prepared based on SDS of ingredients, data of product, literature, and our knowledge and experience according to actual legislation: ECHA European Chemicals Agency

Explanation of risk phrases and hazard category referring hazardous substance contained in product:

Acute Tox. 4 (inh) acute toxicity by inhalation, category 4

Eye Irrit. 2, irritating to eyes, category 2

Aquatic Chronic 2, substance dangerous to aquatic life, chronic, category 2

H319 Causes serious eye irritation

H332 Harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Explanation of abbreviations and acronyms used in the SDS:

CAS – Chemical Abstracts Service

EINECS – Number assigned to a substance in the European Inventory of Existing Commercial Chemical Substances

PBT – persistence, bioaccumulation potential and toxicity

vPvB – very high durability and very bioaccumulative

TLV – threshold limit value in the workplace

STEL – short term exposure limits maximum of a substance harmful to health in the workplace

ATEmix – acute toxicity estimate for mixture LD50 – Lethal Dose, 50% LC50 – Lethal Concentration, 50%

EC50 – Effect Concentration 50%

UN number – identification number of the material (the number of UN, UN number)

ADR – European Agreement concerning the international carriage of dangerous goods by road

IMDG – International Maritime Dangerous Goods Code

Training: Personnel should be trained prior to handling of the product.

Recommendation and restriction of use: Use according to label. Additional safety information available at producer.

Protac® SF is not a typical plant protection product according to definition given in Regulation 1107/2009.

Disclaimer: information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. End user is responsible for inappropriate use of information enclosed in SDS or inappropriate use of product.